

# NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	27727	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	27623	99.62 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.73 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	21242	79.19 %
ABR	420	1.57 %
DISTORTION PRODUCT	5155	19.22 %
TEOAE	2	0.01 %
BILATERALLY COMPLETED REPORTS	26819	97.09 %
PASSED	25638	95.58 %
BILATERAL FAIL	356	1.33 %
FAILED IN LEFT EAR ONLY	483	1.80 %
FAILED IN RIGHT EAR ONLY	342	1.27 %
INCOMPLETE SCREEN REPORTS	723	2.62 %
EQUIPMENT FAILURE	37	5.12 %
NEWBORN DISCHARGED	49	6.78 %
NICU HEARING PENDING	212	29.32 %
REFUSED	133	18.40 %
RESTLESSNESS	12	1.66 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	209	28.91 %
DECEASED	48	6.64 %
OTHER	23	3.18 %

## FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2008		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1443)	71.86 %
MISSING CASES	104		0.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	356	(260)	73.03 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	825	(630)	76.36 %
INCOMPLETE CASES (RESULTS RECEIVED)	723	(553)	76.49 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH, JACKSON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	395		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	393		99.49 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.24 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	384		97.96 %
ABR	0		0.00 %
DISTORTION PRODUCT	8		2.04 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	392		99.75 %
PASSED	333		84.95 %
BILATERAL FAIL	22		5.61 %
FAILED IN LEFT EAR ONLY	25		6.38 %
FAILED IN RIGHT EAR ONLY	12		3.06 %
INCOMPLETE SCREEN REPORTS	1		0.25 %
EQUIPMENT FAILURE	1		100.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	62		
TOTAL FOLLOW UP RESULTS RECEIVED **		(39)	62.90 %
MISSING CASES	2		0.51 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	22	(13)	59.09 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(26)	70.27 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALLEGIANCE HEALTH SCN, JACKSON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	14	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	14	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	13	92.86 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	7.14 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	14	100.00 %
PASSED	12	85.71 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	7.14 %
FAILED IN RIGHT EAR ONLY	1	7.14 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ALPENA REGIONAL MEDICAL CENTER, ALPENA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.71 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	2.22 %
ABR	0	0.00 %
DISTORTION PRODUCT	87	96.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	89	92.71 %
PASSED	88	97.78 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.11 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	7.29 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	42.86 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	57.14 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hear USA</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS GRAND VIEW HOSPITAL, IRONWOOD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	33	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	33	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	33	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	33	100.00 %
PASSED	32	96.97 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.03 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Grandview Hospital -OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	22	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	22	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.45 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	21	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	21	95.45 %
PASSED	21	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	4.55 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Portage Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BADGER, SARA, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT OF GROSSE POINTE HOSPITAL, GROSSE POINTE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	184	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	184	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	182	99.45 %
ABR	1	0.55 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	183	99.46 %
PASSED	175	95.63 %
BILATERAL FAIL	2	1.09 %
FAILED IN LEFT EAR ONLY	4	2.19 %
FAILED IN RIGHT EAR ONLY	2	1.09 %
INCOMPLETE SCREEN REPORTS	1	0.54 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital -RO Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(6) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BELL MEMORIAL HOSPITAL, ISHPEMING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	70	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	70	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.57 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	69	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	98.57 %
PASSED	69	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.43 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BORGESS MEDICAL CENTER, KALAMAZOO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	358	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	358	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.60 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	35	9.92 %
ABR	5	1.42 %
DISTORTION PRODUCT	313	88.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	353	98.60 %
PASSED	315	89.24 %
BILATERAL FAIL	11	3.12 %
FAILED IN LEFT EAR ONLY	16	4.53 %
FAILED IN RIGHT EAR ONLY	11	3.12 %
INCOMPLETE SCREEN REPORTS	5	1.40 %
EQUIPMENT FAILURE	1	20.00 %
NEWBORN DISCHARGED	2	40.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(34)	79.07 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8)	72.73 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	27	(24)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2)	40.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BOTSFORD GENERAL HOSPITAL, FARMINGTON HILLS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	226	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	226	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	3.15 %
ABR	14	6.31 %
DISTORTION PRODUCT	201	90.54 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	222	98.23 %
PASSED	203	91.44 %
BILATERAL FAIL	10	4.50 %
FAILED IN LEFT EAR ONLY	7	3.15 %
FAILED IN RIGHT EAR ONLY	2	0.90 %
INCOMPLETE SCREEN REPORTS	4	1.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	60.87 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7)	70.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(3)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK , BATTLE CREEK

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	188		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	188		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			94.15 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	155		87.57 %
ABR	22		12.43 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	177		94.15 %
PASSED	173		97.74 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	2		1.13 %
FAILED IN RIGHT EAR ONLY	2		1.13 %
INCOMPLETE SCREEN REPORTS	11		5.85 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	10		90.91 %
DECEASED	1		9.09 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	73.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(9)	81.82 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	765	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	765	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	756	99.74 %
ABR	2	0.26 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	758	99.08 %
PASSED	730	96.31 %
BILATERAL FAIL	9	1.19 %
FAILED IN LEFT EAR ONLY	12	1.58 %
FAILED IN RIGHT EAR ONLY	7	0.92 %
INCOMPLETE SCREEN REPORTS	7	0.92 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	5	71.43 %
REFUSED	2	28.57 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(34)	97.14 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(7)	77.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	19	(19)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(8)	114.29 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		31.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	30	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	30	31.25 %
PASSED	30	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	66	68.75 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	64	96.97 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	3.03 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown HC		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	66		
TOTAL FOLLOW UP RESULTS RECEIVED **		(61)	92.42 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	66	(61)	92.42 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR BURNETT, JENNIFER, GOODRICH

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sonus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CARSON CITY HOSPITAL, CARSON CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	89	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	86	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	86	96.63 %
PASSED	76	88.37 %
BILATERAL FAIL	2	2.33 %
FAILED IN LEFT EAR ONLY	6	6.98 %
FAILED IN RIGHT EAR ONLY	2	2.33 %
INCOMPLETE SCREEN REPORTS	3	3.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sonus	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	69.23 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CHARLEVOIX HOSPITAL, CHARLEVOIX

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	60	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	60	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	60	100.00 %
PASSED	55	91.67 %
BILATERAL FAIL	3	5.00 %
FAILED IN LEFT EAR ONLY	2	3.33 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICH NICU, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	85.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		42.86 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	50.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	50.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	33.33 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	1		14.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICHIGAN, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR COMMUNITY HEALTH CENTER OF BRANCH COUNTY,  
COLDWATER

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	62	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	62	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	95.16 %
PASSED	59	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	4.84 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Allegiance Health System		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL, SAGINAW

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	625	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	625	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	619	99.20 %
ABR	5	0.80 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	624	99.84 %
PASSED	615	98.56 %
BILATERAL FAIL	1	0.16 %
FAILED IN LEFT EAR ONLY	6	0.96 %
FAILED IN RIGHT EAR ONLY	2	0.32 %
INCOMPLETE SCREEN REPORTS	1	0.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR COVENANT HOSPITAL NICU, SAGINAW

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	113	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	112	99.12 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	103	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	103	91.96 %
PASSED	103	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	8.04 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	66.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	22.22 %
DECEASED	1	11.11 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	30.00 %
MISSING CASES	1		0.88 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(3)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR CRITTENTON HOSPITAL, ROCHESTER

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	303	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	303	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	297	99.66 %
ABR	1	0.34 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	298	98.35 %
PASSED	294	98.66 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	0.34 %
FAILED IN RIGHT EAR ONLY	3	1.01 %
INCOMPLETE SCREEN REPORTS	5	1.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	128	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	128	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.22 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	126	99.21 %
ABR	1	0.79 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	127	99.22 %
PASSED	127	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Dickinson CO Healthcare - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR DOWD , CATHY, MIDLAND

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	12		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	12	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	12	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	12	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	108.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(13)	108.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR FULL CIRCLE MIDWIFERY SERVICE INC, HESPERIA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	7		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3		42.86 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	3		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	2		66.67 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	28.57 %
MISSING CASES	4		57.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY OSTEOPATHIC HOSPITAL, GARDEN CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	157	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	155	98.73 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	147	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	147	94.84 %
PASSED	135	91.84 %
BILATERAL FAIL	5	3.40 %
FAILED IN LEFT EAR ONLY	4	2.72 %
FAILED IN RIGHT EAR ONLY	3	2.04 %
INCOMPLETE SCREEN REPORTS	8	5.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	5	62.50 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	2	25.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Garden City Hosp. - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	22	
TOTAL FOLLOW UP RESULTS RECEIVED **	(13)	59.09 %
MISSING CASES	2	1.27 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5 (3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7 (4)	57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	8 (6)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR GENESYS REGIONAL MED CTR - HEALTH PARK, GRAND BLANC

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	465	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	460	98.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.85 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	454	99.78 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.22 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	455	98.91 %
PASSED	444	97.58 %
BILATERAL FAIL	2	0.44 %
FAILED IN LEFT EAR ONLY	8	1.76 %
FAILED IN RIGHT EAR ONLY	1	0.22 %
INCOMPLETE SCREEN REPORTS	5	1.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	20.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	80.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Comprehensive Hearing Center	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21	
TOTAL FOLLOW UP RESULTS RECEIVED **	(9)	42.86 %
MISSING CASES	5	1.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(2) 22.22 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	1	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE SCN, WYANDOTTE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		71.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	71.43 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	28.57 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	633		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	631		99.68 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.68 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	614		97.31 %
ABR	17		2.69 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	631		100.00 %
PASSED	582		92.23 %
BILATERAL FAIL	13		2.06 %
FAILED IN LEFT EAR ONLY	19		3.01 %
FAILED IN RIGHT EAR ONLY	17		2.69 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Hospital -Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(34)	66.67 %
MISSING CASES	2		0.32 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	13	(10)	76.92 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	36	(24)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL NICU, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	49	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	49	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.80 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	15.91 %
ABR	37	84.09 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	44	89.80 %
PASSED	40	90.91 %
BILATERAL FAIL	2	4.55 %
FAILED IN LEFT EAR ONLY	1	2.27 %
FAILED IN RIGHT EAR ONLY	1	2.27 %
INCOMPLETE SCREEN REPORTS	5	10.20 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 44.44 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(2) 40.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB HOSPITAL, CLINTON TWP.

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	422	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	422	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	317	75.48 %
ABR	103	24.52 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	420	99.53 %
PASSED	415	98.81 %
BILATERAL FAIL	2	0.48 %
FAILED IN LEFT EAR ONLY	2	0.48 %
FAILED IN RIGHT EAR ONLY	1	0.24 %
INCOMPLETE SCREEN REPORTS	2	0.47 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **	(6)	85.71 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD W BLOOMFIELD HOSPITAL, WEST BLOOMFIELD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	468	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	468	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	437	94.59 %
ABR	24	5.19 %
DISTORTION PRODUCT	1	0.22 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	462	98.72 %
PASSED	447	96.75 %
BILATERAL FAIL	4	0.87 %
FAILED IN LEFT EAR ONLY	7	1.52 %
FAILED IN RIGHT EAR ONLY	4	0.87 %
INCOMPLETE SCREEN REPORTS	6	1.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	16.67 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	66.67 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Henry Ford West Bloomfield		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(16)	76.19 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(10)	90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(4)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE, WYANDOTTE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	397	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	397	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	390	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	390	98.24 %
PASSED	366	93.85 %
BILATERAL FAIL	10	2.56 %
FAILED IN LEFT EAR ONLY	6	1.54 %
FAILED IN RIGHT EAR ONLY	8	2.05 %
INCOMPLETE SCREEN REPORTS	7	1.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hug Center for Hearing	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31	
TOTAL FOLLOW UP RESULTS RECEIVED **	(24)	77.42 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6) 60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(11) 78.57 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	16	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	16	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	16	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	106.25 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(17)	106.25 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE COMMUNITY HEALTH CENTER, HILLSDALE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	97.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	15	16.30 %
ABR	0	0.00 %
DISTORTION PRODUCT	77	83.70 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	92	97.87 %
PASSED	78	84.78 %
BILATERAL FAIL	4	4.35 %
FAILED IN LEFT EAR ONLY	5	5.43 %
FAILED IN RIGHT EAR ONLY	5	5.43 %
INCOMPLETE SCREEN REPORTS	2	2.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hillsdale Comm. Hosp. - OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18	
TOTAL FOLLOW UP RESULTS RECEIVED **	(12)	66.67 %
MISSING CASES	2	2.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(8) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	435	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	434	99.77 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	434	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	434	100.00 %
PASSED	416	95.85 %
BILATERAL FAIL	4	0.92 %
FAILED IN LEFT EAR ONLY	7	1.61 %
FAILED IN RIGHT EAR ONLY	7	1.61 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holland Ob		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(17)	89.47 %
MISSING CASES	1		0.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(14)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL - SCN, HOLLAND

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	697	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	696	99.86 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	661	96.36 %
ABR	0	0.00 %
DISTORTION PRODUCT	25	3.64 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	686	98.56 %
PASSED	670	97.67 %
BILATERAL FAIL	1	0.15 %
FAILED IN LEFT EAR ONLY	9	1.31 %
FAILED IN RIGHT EAR ONLY	6	0.87 %
INCOMPLETE SCREEN REPORTS	10	1.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	10.00 %
NICU HEARING PENDING	4	40.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	30.00 %
DECEASED	2	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Motts Children's HC	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27	
TOTAL FOLLOW UP RESULTS RECEIVED **		(14) 51.85 %
MISSING CASES	1	0.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	15	(9) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(4) 40.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON MEDICAL CENTER, BAD AXE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	98	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	98	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	98	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	98	100.00 %
PASSED	98	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSP NICU, COMMERCE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	30	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	30	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	6	20.69 %
ABR	22	75.86 %
DISTORTION PRODUCT	1	3.45 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	29	96.67 %
PASSED	29	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	3.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY-SINAI HOSPITAL, COMMERCE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	279	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	279	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.64 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	41.22 %
ABR	85	30.47 %
DISTORTION PRODUCT	78	27.96 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	278	99.64 %
PASSED	264	94.62 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	8	2.87 %
FAILED IN RIGHT EAR ONLY	6	2.15 %
INCOMPLETE SCREEN REPORTS	1	0.36 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Children's Hospital Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	93.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(13)	92.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	940	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	940	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	122	13.19 %
ABR	2	0.22 %
DISTORTION PRODUCT	801	86.59 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	925	98.40 %
PASSED	890	96.22 %
BILATERAL FAIL	14	1.51 %
FAILED IN LEFT EAR ONLY	5	0.54 %
FAILED IN RIGHT EAR ONLY	16	1.73 %
INCOMPLETE SCREEN REPORTS	15	1.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	8	53.33 %
NICU HEARING PENDING	3	20.00 %
REFUSED	0	0.00 %
RESTLESSNESS	2	13.33 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	2	13.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Sinai Grace Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	50		
TOTAL FOLLOW UP RESULTS RECEIVED **		(28)	56.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(7)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(13)	61.90 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(8)	53.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL SCN, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	51	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	51	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.04 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	38	76.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	12	24.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	50	98.04 %
PASSED	48	96.00 %
BILATERAL FAIL	1	2.00 %
FAILED IN LEFT EAR ONLY	1	2.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.96 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3	
TOTAL FOLLOW UP RESULTS RECEIVED **	(2)	66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0 0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL NICU, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	150	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	150	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		74.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	87	78.38 %
ABR	0	0.00 %
DISTORTION PRODUCT	24	21.62 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	111	74.00 %
PASSED	100	90.09 %
BILATERAL FAIL	7	6.31 %
FAILED IN LEFT EAR ONLY	2	1.80 %
FAILED IN RIGHT EAR ONLY	2	1.80 %
INCOMPLETE SCREEN REPORTS	39	26.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	16	41.03 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	15	38.46 %
DECEASED	4	10.26 %
OTHER	4	10.26 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai Grace Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	50	
TOTAL FOLLOW UP RESULTS RECEIVED **		(31) 62.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(4) 57.14 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	39	(25) 64.10 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND MEDICAL CENTER - ST JOSEPH, ST. JOSEPH

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	264	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	264	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	8.95 %
ABR	0	0.00 %
DISTORTION PRODUCT	234	91.05 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	257	97.35 %
PASSED	247	96.11 %
BILATERAL FAIL	4	1.56 %
FAILED IN LEFT EAR ONLY	3	1.17 %
FAILED IN RIGHT EAR ONLY	3	1.17 %
INCOMPLETE SCREEN REPORTS	7	2.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	85.71 %
DECEASED	1	14.29 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lake Michigan Hearing Center & Sinus & Sleep Apnea		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	82.35 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAKELAND OF NILES, NILES

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	151		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	151	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	20	13.25 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	131	86.75 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	151	100.00 %	
PASSED	146	96.69 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	3	1.99 %	
FAILED IN RIGHT EAR ONLY	2	1.32 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

## DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL

---

TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LAMBRIGHT, MARIETTA, LEROY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	U of M Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR LEMLEY, TERRI, BENTON HARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	33.33 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	66.67 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	100.00 %
PASSED	2	66.67 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	33.33 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR Likens, Emily, Plainwell

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	2	66.67 %
DISTORTION PRODUCT	1	33.33 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	75.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	25.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL, MARQUETTE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	110		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	109		99.09 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			95.45 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	100		95.24 %
ABR	5		4.76 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	105		96.33 %
PASSED	104		99.05 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		0.95 %
INCOMPLETE SCREEN REPORTS	4		3.67 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		75.00 %
DECEASED	1		25.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	66.67 %
MISSING CASES	1		0.91 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MARQUETTE GENERAL HOSPITAL-NICU, MARQUETTE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	29	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	28	96.55 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.66 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	26	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	26	92.86 %
PASSED	25	96.15 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	3.85 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	7.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Marquette OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	1		3.45 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MAZZARA, KATE, HOWELL

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	100.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	50.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	50.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	217	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	217	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.62 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	214	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	214	98.62 %
PASSED	211	98.60 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	1.40 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	1.38 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Bay Medical OB department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICH. COMMUNITY HOSPITAL, MT.

PLEASANT

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	117	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	117	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	115	98.29 %
PASSED	115	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	1.71 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	277	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	276	99.64 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.64 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	275	99.64 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.36 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	276	100.00 %
PASSED	269	97.46 %
BILATERAL FAIL	2	0.72 %
FAILED IN LEFT EAR ONLY	1	0.36 %
FAILED IN RIGHT EAR ONLY	4	1.45 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	50.00 %
MISSING CASES	1		0.36 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(2)	40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	80	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	79	98.75 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	77	98.72 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.28 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	78	98.73 %
PASSED	74	94.87 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	4	5.13 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.27 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lapeer Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	66.67 %
MISSING CASES	1		1.25 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	219	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	218	99.54 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.17 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	214	99.53 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.47 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	215	98.62 %
PASSED	207	96.28 %
BILATERAL FAIL	3	1.40 %
FAILED IN LEFT EAR ONLY	3	1.40 %
FAILED IN RIGHT EAR ONLY	2	0.93 %
INCOMPLETE SCREEN REPORTS	3	1.38 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	58.33 %
MISSING CASES	1	0.46 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN HOSPITAL, PETOSKEY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	156	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	154	98.72 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.08 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	152	99.35 %
TEOAE	1	0.65 %
BILATERALLY COMPLETED REPORTS	153	99.35 %
PASSED	140	91.50 %
BILATERAL FAIL	5	3.27 %
FAILED IN LEFT EAR ONLY	2	1.31 %
FAILED IN RIGHT EAR ONLY	6	3.92 %
INCOMPLETE SCREEN REPORTS	1	0.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Northern MI Hospital -Neuro DX		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	68.75 %
MISSING CASES	2		1.28 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MED CTR SCN, FLINT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	2	100.00 %	
PASSED	2	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN REGIONAL MEDICAL CENTER, FLINT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	115		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	115	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	115	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	115	100.00 %	
PASSED	110	95.65 %	
BILATERAL FAIL	2	1.74 %	
FAILED IN LEFT EAR ONLY	2	1.74 %	
FAILED IN RIGHT EAR ONLY	1	0.87 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	McLaren Hospital OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTH CARE, OWOSSO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	108	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	108	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	90	87.38 %
ABR	4	3.88 %
DISTORTION PRODUCT	9	8.74 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	103	95.37 %
PASSED	99	96.12 %
BILATERAL FAIL	1	0.97 %
FAILED IN LEFT EAR ONLY	2	1.94 %
FAILED IN RIGHT EAR ONLY	1	0.97 %
INCOMPLETE SCREEN REPORTS	5	4.63 %
EQUIPMENT FAILURE	3	60.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial Healthcare Ctr - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	44.44 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HOSPITAL OF MASON COUNTY, LUDINGTON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	84	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	84	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	84	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	84	100.00 %
PASSED	84	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Memorial MC of W. MI - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH PARTNERS HACKLEY CAMPUS, MUSKEGON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	456	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	453	99.34 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.90 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	25.50 %
ABR	18	3.99 %
DISTORTION PRODUCT	317	70.29 %
TEOAE	1	0.22 %
BILATERALLY COMPLETED REPORTS	451	99.56 %
PASSED	413	91.57 %
BILATERAL FAIL	14	3.10 %
FAILED IN LEFT EAR ONLY	18	3.99 %
FAILED IN RIGHT EAR ONLY	6	1.33 %
INCOMPLETE SCREEN REPORTS	2	0.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Health-Muskegon - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(36)	83.72 %
MISSING CASES	3		0.66 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(12)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(23)	95.83 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SERVICES NORTH-CADILLAC, CADILLAC

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	82	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	79	97.53 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	2.47 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	81	98.78 %
PASSED	77	95.06 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	3.70 %
FAILED IN RIGHT EAR ONLY	1	1.23 %
INCOMPLETE SCREEN REPORTS	1	1.22 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Aud. Services Cadillac		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY HOSPITAL - GRAYLING, GRAYLING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	80	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	80	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	3.90 %
ABR	0	0.00 %
DISTORTION PRODUCT	74	96.10 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	96.25 %
PASSED	66	85.71 %
BILATERAL FAIL	4	5.19 %
FAILED IN LEFT EAR ONLY	5	6.49 %
FAILED IN RIGHT EAR ONLY	2	2.60 %
INCOMPLETE SCREEN REPORTS	3	3.75 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mercy Hospital - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MERCY MEMORIAL HOSPITAL CORP - MONROE, MONROE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	205	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	205	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	198	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	198	96.59 %
PASSED	184	92.93 %
BILATERAL FAIL	4	2.02 %
FAILED IN LEFT EAR ONLY	6	3.03 %
FAILED IN RIGHT EAR ONLY	4	2.02 %
INCOMPLETE SCREEN REPORTS	7	3.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Monroe ENT	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21	
TOTAL FOLLOW UP RESULTS RECEIVED **		(14) 66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6) 60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5) 71.43 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	472		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	468		99.15 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.94 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	466		99.79 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		0.21 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	467		99.79 %
PASSED	457		97.86 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	5		1.07 %
FAILED IN RIGHT EAR ONLY	5		1.07 %
INCOMPLETE SCREEN REPORTS	1		0.21 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	60.00 %
MISSING CASES	4		0.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(8)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MID MICHIGAN MEDICAL CENTER GRATIOT , ALMA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	131		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	131	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	131	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	131	100.00 %	
PASSED	130	99.24 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	1	0.76 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	CMU Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER-MIDLAND, MIDLAND

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	311	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	311	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	308	99.04 %
ABR	0	0.00 %
DISTORTION PRODUCT	3	0.96 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	311	100.00 %
PASSED	306	98.39 %
BILATERAL FAIL	1	0.32 %
FAILED IN LEFT EAR ONLY	2	0.64 %
FAILED IN RIGHT EAR ONLY	2	0.64 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Central MI University		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MILLER, LORI ANN, MIO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Toledo Childrens Hospital of Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	253	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	252	99.60 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.47 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	228	95.40 %
ABR	10	4.18 %
DISTORTION PRODUCT	1	0.42 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	239	94.84 %
PASSED	217	90.79 %
BILATERAL FAIL	11	4.60 %
FAILED IN LEFT EAR ONLY	8	3.35 %
FAILED IN RIGHT EAR ONLY	3	1.26 %
INCOMPLETE SCREEN REPORTS	13	5.16 %
EQUIPMENT FAILURE	1	7.69 %
NEWBORN DISCHARGED	6	46.15 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	23.08 %
RESTLESSNESS	3	23.08 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(28)	77.78 %
MISSING CASES	1		0.40 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(7)	63.64 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(10)	90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(11)	84.62 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER NICU, TRAVERSE CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	240	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	234	97.50 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	226	98.69 %
ABR	2	0.87 %
DISTORTION PRODUCT	1	0.44 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	229	97.86 %
PASSED	219	95.63 %
BILATERAL FAIL	5	2.18 %
FAILED IN LEFT EAR ONLY	4	1.75 %
FAILED IN RIGHT EAR ONLY	1	0.44 %
INCOMPLETE SCREEN REPORTS	5	2.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	60.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	20.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	20.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	61.90 %
MISSING CASES	6		2.50 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(3)	60.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR NO HOSPITAL,

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HOSPITAL, GRAND HAVEN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	101	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	100	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	100	99.01 %
PASSED	100	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.99 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	218	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	218	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		91.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	200	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	200	91.74 %
PASSED	200	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	18	8.26 %
EQUIPMENT FAILURE	11	61.11 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	5.56 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Constance Brown Hearing Centers		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	61.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	18	(11)	61.11 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD ANNAPOLIS HOSPITAL, WAYNE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	278	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	278	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.28 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	261	94.57 %
ABR	15	5.43 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	276	99.28 %
PASSED	263	95.29 %
BILATERAL FAIL	5	1.81 %
FAILED IN LEFT EAR ONLY	2	0.72 %
FAILED IN RIGHT EAR ONLY	6	2.17 %
INCOMPLETE SCREEN REPORTS	2	0.72 %
EQUIPMENT FAILURE	2	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	53.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(1)	20.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL, DEARBORN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	926	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	858	92.66 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.66 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	858	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	858	100.00 %
PASSED	821	95.69 %
BILATERAL FAIL	8	0.93 %
FAILED IN LEFT EAR ONLY	21	2.45 %
FAILED IN RIGHT EAR ONLY	8	0.93 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	105		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	23.81 %
MISSING CASES	68		7.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	29	(19)	65.52 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD HOSPITAL - NICU, DEARBORN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	96	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	85.42 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		72.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	69	98.57 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	1.43 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	70	85.37 %
PASSED	66	94.29 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	4.29 %
FAILED IN RIGHT EAR ONLY	1	1.43 %
INCOMPLETE SCREEN REPORTS	12	14.63 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	4	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	50.00 %
DECEASED	2	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	40.00 %
MISSING CASES	14		14.58 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	12	(10)	83.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE BIRTHING, TRENTON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	2	100.00 %	
PASSED	2	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OAKWOOD SOUTHSORE MEDICAL CENTER, TRENTON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	148		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	144		97.30 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.54 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	131		97.76 %
ABR	2		1.49 %
DISTORTION PRODUCT	1		0.75 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	134		93.06 %
PASSED	128		95.52 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	2		1.49 %
FAILED IN RIGHT EAR ONLY	4		2.99 %
INCOMPLETE SCREEN REPORTS	10		6.94 %
EQUIPMENT FAILURE	7		70.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	1		10.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		20.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University Physician Group		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	35.00 %
MISSING CASES	4		2.70 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(4)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(3)	30.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR OTSEGO MEMORIAL HOSPITAL, GAYLORD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	65	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.46 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	64	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	64	98.46 %
PASSED	63	98.44 %
BILATERAL FAIL	1	1.56 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.54 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Otsego Memorial Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PARKER, GOLDIE, SHELBY TWP

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PAWSON, SHANNON, ROCKFORD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PENNOCK HOSPITAL, HASTINGS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	67	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.52 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	64	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	64	95.52 %
PASSED	63	98.44 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.56 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	4.48 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Pennock Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PERA , SANDRA, WAKEFIELD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		16.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	16.67 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	83.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PERKINS, CONNIE, LANSING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		66.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	50.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	50.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	2	66.67 %
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	33.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, CLARKSTON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	5		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	5	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	3	60.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	2	40.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PORT HURON HOSPITAL, PORT HURON

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	284		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	284		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.65 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	283		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	283		99.65 %
PASSED	272		96.11 %
BILATERAL FAIL	3		1.06 %
FAILED IN LEFT EAR ONLY	6		2.12 %
FAILED IN RIGHT EAR ONLY	2		0.71 %
INCOMPLETE SCREEN REPORTS	1		0.35 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Port Huron Hospital - FBP		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PORTAGE HEALTH SYSTEM LAB, HANCOCK

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	89	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	88	98.88 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.53 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	65	94.20 %
ABR	0	0.00 %
DISTORTION PRODUCT	4	5.80 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	69	78.41 %
PASSED	59	85.51 %
BILATERAL FAIL	3	4.35 %
FAILED IN LEFT EAR ONLY	6	8.70 %
FAILED IN RIGHT EAR ONLY	1	1.45 %
INCOMPLETE SCREEN REPORTS	19	21.59 %
EQUIPMENT FAILURE	3	15.79 %
NEWBORN DISCHARGED	1	5.26 %
NICU HEARING PENDING	1	5.26 %
REFUSED	0	0.00 %
RESTLESSNESS	2	10.53 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	12	63.16 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Portage Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30	
TOTAL FOLLOW UP RESULTS RECEIVED **		(26) 86.67 %
MISSING CASES	1	1.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	19	(18) 94.74 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR Post, Audra, Okemos

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, ANN ARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		25.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	1	100.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	50.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	50.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA BIXBY HOSPITAL, ADRIAN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	168	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	166	98.81 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.21 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	164	99.39 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.61 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	165	99.40 %
PASSED	153	92.73 %
BILATERAL FAIL	5	3.03 %
FAILED IN LEFT EAR ONLY	3	1.82 %
FAILED IN RIGHT EAR ONLY	4	2.42 %
INCOMPLETE SCREEN REPORTS	1	0.60 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Lenawee County Early On	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **	(8)	53.33 %
MISSING CASES	2	1.19 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5 (3)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7 (4)	57.14 %
INCOMPLETE CASES (RESULTS RECEIVED)	1 (1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE HOSPITAL, SOUTHFIELD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	490	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	490	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.16 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	72	14.97 %
ABR	0	0.00 %
DISTORTION PRODUCT	409	85.03 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	481	98.16 %
PASSED	471	97.92 %
BILATERAL FAIL	1	0.21 %
FAILED IN LEFT EAR ONLY	4	0.83 %
FAILED IN RIGHT EAR ONLY	5	1.04 %
INCOMPLETE SCREEN REPORTS	9	1.84 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	2	22.22 %
NICU HEARING PENDING	2	22.22 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	33.33 %
DECEASED	2	22.22 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	68.42 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(4)	44.44 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR PROVIDENCE PARK HOSPITAL, NOVI

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	538	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	537	99.81 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	41	7.66 %
ABR	0	0.00 %
DISTORTION PRODUCT	494	92.34 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	535	99.63 %
PASSED	493	92.15 %
BILATERAL FAIL	14	2.62 %
FAILED IN LEFT EAR ONLY	18	3.36 %
FAILED IN RIGHT EAR ONLY	10	1.87 %
INCOMPLETE SCREEN REPORTS	2	0.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	50.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Providence Hospital - Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(37)	82.22 %
MISSING CASES	1		0.19 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(11)	78.57 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	28	(24)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ROSS, SHELLIE, Perry

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	125.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR RUSK, RON & SUE, JONESVILLE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	1	100.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR RUSK, SUSAN, JONESVILLE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	10		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	10	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	10	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	2	20.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	8	80.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	20.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(2)	20.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	354		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	352		99.44 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			89.83 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	318		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	318		90.34 %
PASSED	311		97.80 %
BILATERAL FAIL	4		1.26 %
FAILED IN LEFT EAR ONLY	1		0.31 %
FAILED IN RIGHT EAR ONLY	2		0.63 %
INCOMPLETE SCREEN REPORTS	34		9.66 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	9		26.47 %
NICU HEARING PENDING	21		61.76 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		8.82 %
DECEASED	0		0.00 %
OTHER	1		2.94 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Sinai-Grace Hospital - Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(19)	44.19 %
MISSING CASES	2		0.56 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(1)	25.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1)	33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	34	(17)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	7	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	7	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	128.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(9)	128.57 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SOUTH HAVEN HEALTH SYSTEM, SOUTH HAVEN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	102	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	102	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	24	24.24 %
ABR	0	0.00 %
DISTORTION PRODUCT	75	75.76 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	99	97.06 %
PASSED	89	89.90 %
BILATERAL FAIL	2	2.02 %
FAILED IN LEFT EAR ONLY	3	3.03 %
FAILED IN RIGHT EAR ONLY	5	5.05 %
INCOMPLETE SCREEN REPORTS	3	2.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	South Haven-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	92.31 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	958	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	958	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.90 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	145	15.15 %
ABR	1	0.10 %
DISTORTION PRODUCT	811	84.74 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	957	99.90 %
PASSED	901	94.15 %
BILATERAL FAIL	14	1.46 %
FAILED IN LEFT EAR ONLY	21	2.19 %
FAILED IN RIGHT EAR ONLY	21	2.19 %
INCOMPLETE SCREEN REPORTS	1	0.10 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	57		
TOTAL FOLLOW UP RESULTS RECEIVED **		(43)	75.44 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	14	(11)	78.57 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	42	(31)	73.81 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - CENTRAL PROCESSING, LANSING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	119		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	113		94.96 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			81.51 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	88		90.72 %
ABR	0		0.00 %
DISTORTION PRODUCT	9		9.28 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	97		85.84 %
PASSED	92		94.85 %
BILATERAL FAIL	1		1.03 %
FAILED IN LEFT EAR ONLY	3		3.09 %
FAILED IN RIGHT EAR ONLY	1		1.03 %
INCOMPLETE SCREEN REPORTS	16		14.16 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	11		68.75 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		25.00 %
DECEASED	1		6.25 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing Health Center		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	51.85 %
MISSING CASES	6		5.04 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(12)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH CAMPUS, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1691	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1691	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1685	99.94 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1685	99.65 %
PASSED	1583	93.89 %
BILATERAL FAIL	39	2.31 %
FAILED IN LEFT EAR ONLY	39	2.31 %
FAILED IN RIGHT EAR ONLY	24	1.42 %
INCOMPLETE SCREEN REPORTS	6	0.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	4	66.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	33.33 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	108		
TOTAL FOLLOW UP RESULTS RECEIVED **		(94)	87.04 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	39	(35)	89.74 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	63	(53)	84.13 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH CARE- NICU, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	234		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	230		98.29 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			77.35 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	181		99.45 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	181		78.70 %
PASSED	179		98.35 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.55 %
FAILED IN RIGHT EAR ONLY	1		0.55 %
INCOMPLETE SCREEN REPORTS	49		21.30 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	32		65.31 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	8		16.33 %
DECEASED	9		18.37 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	55		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	60.00 %
MISSING CASES	4		1.71 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	49	(32)	65.31 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL, FREMONT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	99	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	96	96.97 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.97 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	96	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	100.00 %
PASSED	96	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Gerber Mem. Health Serv - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	3		3.03 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

# NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH HOSPITAL BIG RAPIDS HOSPITAL, BIG RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	146	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	146	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	144	99.31 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	144	98.63 %
PASSED	137	94.48 %
BILATERAL FAIL	2	1.38 %
FAILED IN LEFT EAR ONLY	1	0.69 %
FAILED IN RIGHT EAR ONLY	4	2.76 %
INCOMPLETE SCREEN REPORTS	2	1.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

## FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Mecosta OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED MEMORIAL, GREENVILLE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	108	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	108	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	106	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	106	98.15 %
PASSED	104	98.11 %
BILATERAL FAIL	1	0.94 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.94 %
INCOMPLETE SCREEN REPORTS	2	1.85 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND HOSPITAL, ZEELAND

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	93	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	92	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	92	98.92 %
PASSED	92	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.08 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST FRANCIS HOSPITAL, ESCANABA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	77	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	77	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	100.00 %
PASSED	76	98.70 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.30 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Francis OB
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1
TOTAL FOLLOW UP RESULTS RECEIVED **	(1) 100.00 %
MISSING CASES	0 0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0 0 0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1 (1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0 0 0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN DETROIT NICU-182001, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	73	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	64	87.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		80.82 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	92.19 %
PASSED	54	91.53 %
BILATERAL FAIL	2	3.39 %
FAILED IN LEFT EAR ONLY	1	1.69 %
FAILED IN RIGHT EAR ONLY	2	3.39 %
INCOMPLETE SCREEN REPORTS	5	7.81 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	60.00 %
DECEASED	2	40.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Holley Ear Institute		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	36.84 %
MISSING CASES	9		12.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSP DETROIT SPECIAL CARE, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	46	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	46	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	46	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	46	100.00 %
PASSED	42	91.30 %
BILATERAL FAIL	2	4.35 %
FAILED IN LEFT EAR ONLY	1	2.17 %
FAILED IN RIGHT EAR ONLY	1	2.17 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Covenant Cooper Campus		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN HOSPITAL, DETROIT

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	646	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	639	98.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.99 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	620	97.95 %
ABR	0	0.00 %
DISTORTION PRODUCT	13	2.05 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	633	99.06 %
PASSED	622	98.26 %
BILATERAL FAIL	5	0.79 %
FAILED IN LEFT EAR ONLY	1	0.16 %
FAILED IN RIGHT EAR ONLY	5	0.79 %
INCOMPLETE SCREEN REPORTS	6	0.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	4	66.67 %
NICU HEARING PENDING	2	33.33 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. John Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	29.17 %
MISSING CASES	7		1.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN MACOMB HOSPITAL, WARREN

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	314		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	314		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.36 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	309		99.04 %
ABR	1		0.32 %
DISTORTION PRODUCT	2		0.64 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	312		99.36 %
PASSED	284		91.03 %
BILATERAL FAIL	3		0.96 %
FAILED IN LEFT EAR ONLY	16		5.13 %
FAILED IN RIGHT EAR ONLY	9		2.88 %
INCOMPLETE SCREEN REPORTS	2		0.64 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	1		50.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb Aud.		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	30		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	70.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	25	(17)	68.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOHN RIVER DISTRICT HOSPITAL, EAST CHINA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	63	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	59	93.65 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	58	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	58	98.31 %
PASSED	56	96.55 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	3.45 %
INCOMPLETE SCREEN REPORTS	1	1.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John-River District Hosp - OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	28.57 %
MISSING CASES	4		6.35 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL, ANN ARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	772	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	772	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	769	99.74 %
ABR	1	0.13 %
DISTORTION PRODUCT	1	0.13 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	771	99.87 %
PASSED	762	98.83 %
BILATERAL FAIL	2	0.26 %
FAILED IN LEFT EAR ONLY	4	0.52 %
FAILED IN RIGHT EAR ONLY	3	0.39 %
INCOMPLETE SCREEN REPORTS	1	0.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	U of M-Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL - NICU, ANN ARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	41	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	41	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.24 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	36	97.30 %
ABR	1	2.70 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	37	90.24 %
PASSED	36	97.30 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.70 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	9.76 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	3	75.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	U of M Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC, PONTIAC

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	427	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	426	99.77 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	1.64 %
ABR	0	0.00 %
DISTORTION PRODUCT	419	98.36 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	426	100.00 %
PASSED	378	88.73 %
BILATERAL FAIL	15	3.52 %
FAILED IN LEFT EAR ONLY	22	5.16 %
FAILED IN RIGHT EAR ONLY	11	2.58 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	49		
TOTAL FOLLOW UP RESULTS RECEIVED **		(40)	81.63 %
MISSING CASES	1		0.23 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	15	(12)	80.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	33	(28)	84.85 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY HOSPITAL PONTIAC NICU, PONTIAC

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	28	45.16 %
ABR	0	0.00 %
DISTORTION PRODUCT	34	54.84 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	81.58 %
PASSED	57	91.94 %
BILATERAL FAIL	1	1.61 %
FAILED IN LEFT EAR ONLY	2	3.23 %
FAILED IN RIGHT EAR ONLY	2	3.23 %
INCOMPLETE SCREEN REPORTS	14	18.42 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	8	57.14 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	35.71 %
DECEASED	1	7.14 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	19		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	63.16 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(10)	71.43 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY HOSPITAL - LIVONIA, LIVONIA

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	235	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	235	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	232	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	232	98.72 %
PASSED	232	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	1.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St Mary's Hospital OB-Livonia		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S HEALTH CARE - GRAND RAPIDS, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	420	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	420	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.29 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	401	96.16 %
ABR	14	3.36 %
DISTORTION PRODUCT	2	0.48 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	417	99.29 %
PASSED	412	98.80 %
BILATERAL FAIL	1	0.24 %
FAILED IN LEFT EAR ONLY	1	0.24 %
FAILED IN RIGHT EAR ONLY	3	0.72 %
INCOMPLETE SCREEN REPORTS	3	0.71 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **	(7)	87.50 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ST MARY'S MERCY MEDICAL CENTER - NICU, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	33	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	31	93.94 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.76 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	25	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	25	80.65 %
PASSED	25	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	19.35 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	16.67 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	16.67 %
DECEASED	3	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	37.50 %
MISSING CASES	2		6.06 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(3)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR STURGIS HOSPITAL, STURGIS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	103	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	103	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	101	99.02 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	101	98.06 %
PASSED	99	97.06 %
BILATERAL FAIL	1	0.98 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.98 %
INCOMPLETE SCREEN REPORTS	2	1.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Charles Van Riper Hearing Clinic		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR TAWAS ST. JOSEPH HOSPITAL, TAWAS CITY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	85	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	85	100.00 %
PASSED	81	95.29 %
BILATERAL FAIL	1	1.18 %
FAILED IN LEFT EAR ONLY	3	3.53 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hear USA	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **	(3)	75.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0 0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS AREA HOSPITAL, THREE RIVERS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	43	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	41	95.35 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	2.44 %
ABR	0	0.00 %
DISTORTION PRODUCT	40	97.56 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	41	100.00 %
PASSED	40	97.56 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	2.44 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Three Rivers OB Department		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	2		4.65 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR TOPPING, AMANDA, YPSILANTI

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL, ANN ARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	956	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	955	99.90 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.37 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	950	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	950	99.48 %
PASSED	903	95.05 %
BILATERAL FAIL	8	0.84 %
FAILED IN LEFT EAR ONLY	23	2.42 %
FAILED IN RIGHT EAR ONLY	16	1.68 %
INCOMPLETE SCREEN REPORTS	5	0.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	20.00 %
REFUSED	3	60.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of MI HS - Audiology	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	53	
TOTAL FOLLOW UP RESULTS RECEIVED **		(46) 86.79 %
MISSING CASES	1	0.10 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	39	(33) 84.62 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(6) 120.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR U OF M HOSPITAL - NICU, ANN ARBOR

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	97		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94		96.91 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			74.23 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	71		98.61 %
ABR	1		1.39 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	72		76.60 %
PASSED	66		91.67 %
BILATERAL FAIL	5		6.94 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		1.39 %
INCOMPLETE SCREEN REPORTS	22		23.40 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	13		59.09 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		4.55 %
DECEASED	8		36.36 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	University of Michigan HS- Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	31		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	64.52 %
MISSING CASES	3		3.09 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(1)	20.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	22	(19)	86.36 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	20		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	20	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	20	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	20	100.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Multi-sites see EHDI webpage		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	110.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	20	(22)	110.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	86	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	86	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	1.22 %
ABR	0	0.00 %
DISTORTION PRODUCT	81	98.78 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	82	95.35 %
PASSED	75	91.46 %
BILATERAL FAIL	3	3.66 %
FAILED IN LEFT EAR ONLY	3	3.66 %
FAILED IN RIGHT EAR ONLY	1	1.22 %
INCOMPLETE SCREEN REPORTS	4	4.65 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Hearing First Inc.	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 81.82 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Audiology		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAGO

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	75.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	6	100.00 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	3	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	25.00 %
MISSING CASES	2		25.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(2)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WEST SHORE MEDICAL CENTER, MANISTEE

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	43	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	42	97.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	4.76 %
ABR	0	0.00 %
DISTORTION PRODUCT	40	95.24 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	42	100.00 %
PASSED	39	92.86 %
BILATERAL FAIL	1	2.38 %
FAILED IN LEFT EAR ONLY	1	2.38 %
FAILED IN RIGHT EAR ONLY	1	2.38 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	West MI ENT		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	1		2.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO, ROYAL OAK

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	1189	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1189	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1188	99.92 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.08 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1189	100.00 %
PASSED	1171	98.49 %
BILATERAL FAIL	4	0.34 %
FAILED IN LEFT EAR ONLY	11	0.93 %
FAILED IN RIGHT EAR ONLY	3	0.25 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(18)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(14)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - RO - NICU, ROYAL OAK

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	128	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	128	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	115	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	115	89.84 %
PASSED	113	98.26 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	1.74 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	13	10.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	7.69 %
NICU HEARING PENDING	9	69.23 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	3	23.08 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	13	(3)	23.08 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY, TROY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	751	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	751	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.87 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	750	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	750	99.87 %
PASSED	722	96.27 %
BILATERAL FAIL	7	0.93 %
FAILED IN LEFT EAR ONLY	10	1.33 %
FAILED IN RIGHT EAR ONLY	11	1.47 %
INCOMPLETE SCREEN REPORTS	1	0.13 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital- RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(24)	82.76 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6)	85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	21	(17)	80.95 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WILLIAM BEAUMONT HOSPITAL - TROY - NICU, TROY

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	101	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.01 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	100	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	100	99.01 %
PASSED	90	90.00 %
BILATERAL FAIL	6	6.00 %
FAILED IN LEFT EAR ONLY	2	2.00 %
FAILED IN RIGHT EAR ONLY	2	2.00 %
INCOMPLETE SCREEN REPORTS	1	0.99 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	81.82 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR WOODARD CPM, KIM, SPRINGFIELD

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	10	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	10	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		10.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	1	100.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	10.00 %
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	9	90.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	9	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont Hospital-RO Aud		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(9)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	9	(9)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

---

NEWBORN SCREENS FROM 10/01/2013 - 12/31/2013	11		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	10		90.91 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	10		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	10		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	William Beaumont RO- NICU		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	90.91 %
MISSING CASES	1		9.09 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(10)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

---